




19 min Z. Frid jesik A. Sigments of couly & equal to the tube T. Orang somewhat agual to the tube a brits orducous, petal, rose orlound? G. Drummondi. E. Grat somewhat persishent, jutiles somblet. In prenner 2. Ovary shorter, mostly hulf as long as take a. Gratt mduron, a petals rose volom, oborate att i hoch claus g. biennie S. polis spithelate with long alons, g. exultity 6. Grants persolat d. shorten the orang publisment G. cooriner. B. longen the orang public roseculous of brackouse 3. Ovang unknown, 3 angled, flow, history g. hipetel 03. Legent of only a longer than the tale 1. Orang squal to the timbe a. Brusts product pupped. Dominai 9. Linsheim b. Comoto possible pupped. Dominai 9. Glaber. 2. Avery half or long as Lube J. ankansan 3 Dog un through, Comes Cine, provides. L. august felle C. Segments of Caly x shorter the table overy also shorter the table . I familion Il Amil pudi-elled. Legements of calg & longer the the tube. 1. Stand vryate branking bore. Brank linear, smoothersh . G. fijlipes 2. Stan Brunks for buce L'inute a. Cenur Monda, gluber. 6. lanner Commolate formetor rousen J. villom MISSOURI BOTANICAL


copyright reserved


GARDEN


















MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS








MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS







## Enother Manch 1862

We have on our western plains a s mountain; There allied species as somethe confused species of Ochbolber , which rould have been savily known com be aviole et they are, on be they dittigaster if the leaves are not joined on se en be shorter, but the organ of frut first aday Lettale Sshingwish two of them, 6. ghosin le Fran Caf. 1813 and gen I. J. 2:45 a O. primet fich it gon! its

I must H. well the seed of the tops

Torr & Gr itte flow chamber of the the sp. O. Coronopi; Jolia - Josf Jong i M. Furt. p. 43 intiand to belief of the probable ideal's of the two first sparing, and amind North i OP. Wight I.p. by got up to it in s. proposed the obest nam, O. all. salington the states complex of for a lange me Alarge Series of speries embles me to Destroyeil the the itt follows the O. comopifolia Tom & Gr. F. I. 1.245 Juy 11 Funt hunding perennis, suepe multiralis) erate 1. erats pette, pubulu strigon s. ndept hispid, folis, ufinis likeni - spataletis soperiorito, celenis pertiato-pintisos Into calgoris dense villos e i petalis suborbirletti, s sklegnis, stamme agentib, postelle brusinels; copset ereite s. suberita/ lawreleta torulosa i probelle brevissi ettemente , samint, magnis, ovatis lungisti,
magnis proposis tuberidis seniti dipriti; My speries, were rolled by Tendler mer Lat The and aly thent deto by Hayden in the Se hills of the Loop fork won Rung Water Oles &-1 post high, flower sain tug to deep red, about I what I sawet ; capacle in fait, Spor all I shallen, in Hayden only all to like long.





gelonig brown thether them it allied spens, seed from he wrongeles large thick to companie; beset with and thetenders of the south II, 733 /home army i layted yours. 8. pismitifide Mutt. gen I. 245 Torrege A. I. 494. O. Parshi Don syst 2. p. 688 O. Purshiana Stend nom 2. 20% annu sen biennig hemilis diffusa (missie erecta) polisimla, surius sursu printe; folis imis oborto superintis spetuletis, acuti s. obstusis sulegui, celenis pintifits for plø algori etaste famen meder petaler lette obsorbter, 3. prof e emmy uli, stembler pulles ; spola (Chemi Slaw estet), semli, tomlosa, ant, 2. saberata, Somiles tengistis etter ge apirelation sottetis forestis seriation to costas dispositis elegante Willis . Sait Revert Muttell gather it on reper Musioni; Figur - Kerdlets Experti, I Hand for it is the son love to the top goldet it mar Los Vegas al at Sato tellet place I out Reighade, his species were? Istible with others of the west speries, I No 223. Wright estell so formation of the Mex, while of the Mex, while the coronary of the wright 1.69) Browning. filia (M. Wight T. bg ) bleg ben I com of 23 all the spents Throe seen are annul portis simple et s flowerd) or usually biennahl with soulet entre Middle leaves; Differe or even derunket; fam ernt for huns collected by A. Gorden on the Upper Canada Rover, N. 29 Johnile thest species the Short chantery journally 4-6 into high bet arrows to Mattell, dereunt branches some times 2 fact long; Howers 223 thits Shouter

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

Hut Hunthis & pinuliful was the entire one but horting Muttell, non went start and The Mexit place will have to benefit name of O. Hemboldi. White turns pole ved; capsule 1-174 whiles long; seeds very rights a prottety pitted between the ribs 0.6 - 0.7 loves long, Fellow. Ocnothen albirales Matt i Bus Cat 1813. gen I. 245 Come gr. H. Ihgs gm M. Wryll I. 69 II. 56. O. proprése Fry M. F. 43 ( done I most specient)
Ocrennis wester son Specieto sumore, gladie som pobenta s. horsett, railis rottise albido membrure nitule politi varies, petalis orbivalet - contis ben ettementer ubeging stamme supentitos, pribille ægetiber, capsula/linearis e busi Tata omna serioli pobleta paleta, pale This seems to be a commen plat throughout extends into the Morrison of Chihang at es varible its form as it is common, but especially those of the finit \_ to character, induted.

A spirity form; in the finit .\_ to come solvey its than following form; in the form is the form; in the standard of the finit .\_ to come solvey its than the second of the finit .\_ to come solvey its than the second of the finit .\_ to character, industries than the second of the finit .\_ to character, industries than the second of the finit .\_ to character, industries than the second of the finit .\_ to character, industries than the second of the finit .\_ to character, industries than the second of the finit .\_ to character, industries than the second of the finit .\_ to character, industries the second of the finit .\_ to character, industries the second of the second X polis belevstrefelsblater sen ben attenuatis L'Mittallis folis line glabra I. polenla Jolis lineambres s. lacercolater s. oblongis 2. sutegnis som tota datates. - This ment te s. Here B. pollich Dougl. with it, van. Ceptophylla and along inspite by Poffing. Mattall Desorts it 2. as of 3 feet high I gogen says that i the says plans new Devils Lake I al the Towns of the Mother Mon it forms should look; buthy of the sign of Spartin Scopanie. It he fulligh. monthly an wilt for Dunitety sporas brunter. The Ceases are 1-2 2 ideles of al 1-6 likes wide MISSOURI

BOTANICAL copyright reserved GARDEN

om ftt brokerelleand for is Fute, M. My 224 sunviale. Enchiato-ramon differente. Var. S. Fondlessi, glaben sen pulenla son cancerceus plis laurvolates grosse su simuats - dutatis 0. pinutifik gry-OC. Fast. p 43. (At 223 deser. and most spenies N223 ( get then with the privite hely 243.) - British sport in Frank collectes
a glaborer as a way cause of [178]

the Catter with remarkably short capsules (source 3"by but novettlen appell, futile frunctigle

XX. folis bersi late fante semilibus The f. brevibles glabernina erect, ramorssian plis conta stants about about about a grome dentitis. \_ Suttitle tolent Il l'aso & Willy Na 99. \_ dear deck green ( while de thollifo Both pule or musel gray, it for 4-6 likes long Und trichordyx (Athordeyx hivsuta evette pulsore ramora, famoure Ji, heret, folis lawredates sen lawredate - oblowy is willy 473 gette & Sen Vegas In max. simulto - Deateties. — This is no Double Mattelly I tothorty For a Gr. Fl. I. 494, the identity of which with O. alburalis off for her along shistated. - The hair on the only I at steen , over a expertly to orlyg is remained bowsel ben tapen to a very antipoint al fon ely a single cell. all therefor have flower of 1/2-1/4 unh dianx at but to pute red; The most obentime shike char. however the Hysleader copiele usually 1 h- 1 /4 ill log, top Thirty tops fra Thich base as is usuly spirits we oft anyly but off tarits i various drukes, and the dock brown most seeds; loure lines, very ante at one end 0.8 l. log; var. d. hus smillen (06 ling) soblesses eeds MISSOURI BOTANICAL copyright reserved

GARDEN

2.4.7. 7 - 1.92 over 1" sometelips nich 10 dep de tale 4" 14 stig- 8" les 25 upprælept statu had s The of con 18 often short play, dentilet auth 22-24 "les olts linen MISSOURI BOTANICAL

copyright reserved

GARDEN

## Topaz in Utah. By HENRY ENGELMANN.

During my explorations in Utah as Geologist of the Expedition under Capt. J. H. Simpson, Top. Eng'rs. U. S. A., in 1858 and 1859, I observed some remarkably beautiful crystals of Topaz among some detritus of trachytic porphyry. They were perfectly colorless, transparent, sharply developed, and of great lustre. They were all short columnar. The largest of them measured scarcely one third of an inch in the direction of the basal cleavage, which was highly perfect. I observed ten modifications: all crystals exhibited (according to Prof. Rose's designation)

 $\infty$  c:b:a ,  $\infty$  c:b:2a, c: $\infty$ b: $\infty$ a1, 4 c:b: $\infty$ a, 2 c:b:a ; c:b: $\infty$ a, c:b:a ; a few only 2 c: $\infty$ b:a, and 4(?) c:b:a.

As in none of the crystals were both ends developed, I could not ascertain whether they were hemihedral, as is most common with topaz. The hardness of the mineral is =8. It is infusible before the blowpipe; and when strongly heat ed is coated with small blisters, but does not show any change of color. It exhibits the reactions of fluorine, alumina, and silex. No tests were made for other elements, nor were the crystals examined in regard to pyro-electricity and polarization of light. They exhibit double refraction quite plainly.

The locality of the mineral is near lat. 39° 40′, long. 113° 30′ west of Greenwich, west of south of Salt Lake, in Thomas' range of mountains, on Capt. Simpson's return trail. Circumstances prevented me from obtaining more than a few crystals, which are now deposited in the collection of the Smithsonian Institute; a few others are also in the hands of members of the party. We were travelling at the time by forced night marches with nearly worn out animals, seeking to gain a spring of water in a distant range of mountains. This desert was then entirely unexplored. I have but little doubt that more interesting materials are to be found at the same point.

The mountains of the former Territory of Utah promise a rich yield to the mineralogist. We know already of gold and silver ores in the east, west and south part of that district; of copper and lead ores in the south, and I have discovered the latter also in the centre of it; of specular iron ores and native sulphur in the Rocky Mountains and near Little Salt Lake; of rock salt in the mountains south-east of Utah Lake; of native alum near Salt Lake; of various other salts in the deserts; and of silicates, composing the granites, porphyries, diorites, trachytes, and lavas, nearly over the whole area.



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS

UMARD-NEW PALEOZOIC FOSSIL


LÆACRINUS KIRKWOODENSIS, n. 8


y parallel; pore A longitudinal much body, na.
Interraopening down-from their felconcave narrow short distance below the occupy. exhibited to weath. base wide, in fifth irre the under t towards the apex, of this species. united very spaces notches and from one plainly arched. due the sutures. acutely Or base the about thence their inner edges are base. Pseudo-ambulacral s extending arrow, deeply impressed; sides nearly ounting to about fifty in each field. circular side little longer summit the observe, more or less disings, which, however, may pieces (fork pieces) reaching to the le than four fifths the entire length of gently not below, ping gently from unen vistuated at tes eight, very minute, situated, circlial plates. Anal opening large, circlical. The surface markings are noted.


The surface markings are noted. the distance of small, subglobose, a mun.


Basal pieces the central very prominen widest in the middle, sides an wide, obtusely angulated id notched on either side a Pseudo-ambulacral areas pieces level with slit extends from the parating the pore posite for the pore or pittings, subdeltoid, ಡ opposite on the field, 10 ery


0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved






























copyright reserved



MISSOUPI BOTATILIA







copyright reserved

MISSOURI

BOTANICAL GARD




0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

229 Liggeren Reco Seeds with large cookey? I thought of some externel appearance. Tootophy lla J. org. Frakaling gerg in lesson i en celle les I cento ampa pole cosky mans transvorse deid indidded i a veg læge 1 represent colles mes longsterdiel itt If seed without any appendige a Lidevije decression

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI FATANICAL GARDEN GEORGE ENGLINANN PAPERS






andielen perg 1188 - Stammer Commission of the Selvinenter, september destrollar en anno Ludwigin Stames levinis solyvis aeguster Herretter zepter de The many to Stamme Carinis orlyns againles Jehrsontin Combidida

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved




MISOURI SOURI SALENS







0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved



MISSOURI BOTTING GARDERS



7329/11/1 Company political of general Perger fruit without found of found of ming with Inall ones que Signer with equal ofter any lis seed duk with duken subs annie fuz men an an emphison & 2 control granding some the compression the Cathorle angles shorp treed, light could unitaloused will







MISSON TO TANICAL

MISSON TO TANICAL

GEORGE LELMANN





Janshoppia Sante Pit. Mh, 27 Sept 1880, a Growd Cowed form, curious folis above base of calentho, somewhat closing the recture cavity, " " " The 4 upper or calgorite stames corresped with upper curves of the folis, the 4 course of the folis, the lower a petilin stames with the information curve of the folis.



look at them ? to! If at first though a tyssa, now I am not soften of the genus even As to the rest & suffice of an not very fav out of the way George Engelmann Papers,

Bhave tried haid to get out Dee you since you return but







MISSOURI BOTANICAL GARDENS GEORGE ENGELMANN PAPERS

